Your Guide to Understanding Genetic Conditions

HCCS gene

holocytochrome c synthase

Normal Function

The *HCCS* gene carries instructions for producing an enzyme called holocytochrome c-type synthase. This enzyme is active in many tissues of the body and is found in the mitochondria, the energy-producing centers within cells.

Within the mitochondria, the holocytochrome c-type synthase enzyme helps produce a molecule called cytochrome c. Specifically, holocytochrome c-type synthase is involved in a reaction that adds an iron-containing molecule called heme to make mature cytochrome c, also called holocytochrome c, from a precursor form called apocytochrome c.

Cytochrome c is involved in a process called oxidative phosphorylation, by which mitochondria generate adenosine triphosphate (ATP), the cell's main energy source. It also plays a role in the self-destruction of cells (apoptosis).

Health Conditions Related to Genetic Changes


microphthalmia with linear skin defects syndrome

At least three *HCCS* gene mutations have been identified in individuals with microphthalmia with linear skin defects syndrome. Deletions of genetic material that include the *HCCS* gene have also been identified in affected individuals. *HCCS* gene mutations result in a holocytochrome c-type synthase enzyme that cannot perform its function. A deletion of genetic material that includes the *HCCS* gene prevents the production of the enzyme from that copy of the gene. This loss of functional holocytochrome c-type synthase enzyme can damage cells by impairing their ability to generate energy. In addition, without sufficient holocytochrome c-type synthase enzyme, the damaged cells may not be able to undergo apoptosis. These cells may instead die in a process called necrosis that causes inflammation and damages neighboring cells. During early development this spreading cell damage may lead to the eye and skin abnormalities characteristic of microphthalmia with linear skin defects syndrome.

Chromosomal Location

Cytogenetic Location: Xp22.2, which is the short (p) arm of the X chromosome at position 22.2

Molecular Location: base pairs 11,111,286 to 11,123,086 on the X chromosome (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- CCHL
- CCHL HUMAN
- DKFZp779I1858
- holocytochrome c synthase (cytochrome c heme-lyase)
- MCOPS7

Additional Information & Resources

Educational Resources

 Molecular Cell Biology (fourth edition, 2000): Proteins Are Targeted to Submitochondrial Compartments by Multiple Signals and Several Pathways https://www.ncbi.nlm.nih.gov/books/NBK21652/#A4708

GeneReviews

 Microphthalmia with Linear Skin Defects Syndrome https://www.ncbi.nlm.nih.gov/books/NBK7041

Scientific Articles on PubMed

PubMed
https://www.ncbi.nlm.nih.gov/pubmed?term=%28HCCS%5BTI%5D%29+AND+
%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D
%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D

OMIMO

 HOLOCYTOCHROME C SYNTHASE http://omim.org/entry/300056

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC HCCS.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=HCCS%5Bgene%5D
- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/ hgnc_data.php&hgnc_id=4837
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/3052
- UniProt http://www.uniprot.org/uniprot/P53701

Sources for This Summary

- OMIM: HOLOCYTOCHROME C SYNTHASE http://omim.org/entry/300056
- Prakash SK, Cormier TA, McCall AE, Garcia JJ, Sierra R, Haupt B, Zoghbi HY, Van Den Veyver IB. Loss of holocytochrome c-type synthetase causes the male lethality of X-linked dominant microphthalmia with linear skin defects (MLS) syndrome. Hum Mol Genet. 2002 Dec 1;11(25): 3237-48.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12444108
- Wimplinger I, Morleo M, Rosenberger G, Iaconis D, Orth U, Meinecke P, Lerer I, Ballabio A, Gal A, Franco B, Kutsche K. Mutations of the mitochondrial holocytochrome c-type synthase in X-linked dominant microphthalmia with linear skin defects syndrome. Am J Hum Genet. 2006 Nov;79(5): 878-89. Epub 2006 Sep 6.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17033964
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1698567/
- Wimplinger I, Shaw GM, Kutsche K. HCCS loss-of-function missense mutation in a female with bilateral microphthalmia and sclerocornea: a novel gene for severe ocular malformations? Mol Vis. 2007 Aug 27;13:1475-82.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17893649

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/gene/HCCS

Reviewed: October 2009 Published: March 21, 2017 Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services